

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 1/14

VELO Icy Berries Smooth [••] Mini

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

VELO Icy Berries Smooth [••] Mini

Other means of identification:

VELO/LYFT Berry Frost Medium 6mg Mini
VELO Berry Frost Medium [••] Mini
VELO Berry Frost Low [••] Mini
VELO/LYFT Icy Berries Mellow / Medium [••] Mini
VELO/LYFT Icy Berries Mellow / Medium 6mg Mini
VELO Icy Berries Smooth 6mg Mini
VELO Icy Berries Smooth [••] Mini
VELO Icy Berries 6mg Mini
VELO Icy Berries [••] Mini
VELO/LYFT Icy Berries 6mg/pouch | 6mg Mini
VELO/LYFT Icy Berries Low [••] Mini
VELO/LYFT Icy Berries Low 6mg Mini
VELO Berry Frost Mini Medium
VELO Icy Berries Mellow / VELO Icy Berries Mellow 6mg
Velo Icy Berries 6mg/pouch
VELO/LYFT Indigo Blue Medium [••] Mini
VELO/LYFT Indigo Blue Medium 6mg Mini
VELO/LYFT Icy Berries Smooth 6mg Mini
VELO/LYFT Icy Berries Smooth [••] Mini
VELO Icy Berries Medium 6mg Mini
VELO Icy Berries Medium [••] Mini
VELO z aromatem: Icy Berries 6mg
VELO/LYFT Icy Berries М'який 6mg Mini
VELO/LYFT Icy Berries М'який [**] Mini
VELO/LYFT ICY BERRY Medium 6mg Mini
VELO/LYFT ICY BERRY Medium [**] Mini
VELO Icy Berries 6mg

PTN01263 v1 - B2

UFI:

HRYA-19DH-6SCP-01PV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

The product is intended for consumer use.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

BAT Pécsi Dohánygyár Kft.

Francia utca 2

7630 Pécs

Hungary

Telephone: +36 72 504 100

E-mail: sds-eliqum@bat.com

Manufacturer:

Pakistan Tobacco Company Limited

PTC, Jhelum Factory, Main GT Road

49600 Jhelum

Pakistan

Telephone: +544 646501

E-mail: sds-eliqum@bat.com

1.4. Emergency telephone number

Toxikologické informační středisko,
Klinika pracovního lékařství VFN a 1. LF UK ;
Na Bojišti 1,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 2/14

VELO Icy Berries Smooth [••] Mini

120 00 Praha 2, 24h: +420 224 919 293, +420 224 915 402, a jen při poruše tel. +420 725 103 658 ;
Carechem 24 International: +420 228 882 830

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

nicotine

Hazard statements for health hazards	
H302	Harmful if swallowed.

Supplemental hazard information	
EUH208	Contains Spearmint oil. May produce an allergic reaction.

Precautionary statements	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statements Prevention	
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary statements Response	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Precautionary statements Disposal	
P501	Dispose of contents/container in accordance with local, regional or national regulations.

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17





Page 3/14

VELO Icy Berries Smooth [••] Mini

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 54-11-5 EC No.: 200-193-3 Index No.: 614-001-00-4 REACH No.: 01-2120066934-47-0000	nicotine Acute Tox. 2 (H330, H310, H300), Aquatic Chronic 2 (H411)  Danger Acute Toxicity Estimate ATE (oral) 5 mg/kg ATE (dermal) 70 mg/kg ATE (inhalation, dust/mist) 0.19 mg/L	0 - < 1.54 weight-%
CAS No.: 8008-79-5 EC No.: 616-927-4 REACH No.: 01-2120744216-58-0000	Spearmint oil Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Skin Irrit. 2 (H315), Skin Sens. 1 (H317)  Danger	0 - ≤ 0.130948 weight-%
CAS No.: 141-78-6 EC No.: 205-500-4 REACH No.: 01-2119475103-46-0000	ethyl acetate Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336)  Danger Acute Toxicity Estimate ATE (oral) = 5,620 mg/kg ATE (dermal) > 18,000 mg/kg ATE (inhalation, vapour) > 22.5 mg/L	0 - ≤ 0.013603 weight-%
CAS No.: 64-19-7 EC No.: 200-580-7 Index No.: 607-002-00-6 REACH No.: 01-2119475328-30-0000	acetic acid Eye Dam. 1 (H318), Flam. Liq. 3 (H226), Skin Corr. 1A (H314)  Danger Specific concentration limit (SCL) Skin Corr. 1A; H314: C ≥ 90% Skin Corr. 1B; H314: 25% ≤ C < 90% Skin Irrit. 2; H315: 10% ≤ C < 25% Eye Irrit. 2; H319: 10% ≤ C < 25% Eye Dam. 1; H318: C ≥ 25% Acute Toxicity Estimate ATE (oral) 3,310 mg/kg ATE (inhalation, vapour) > 8.5 mg/L	0 - ≤ 0.002267 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

Take off immediately all contaminated clothing.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell.

Self-protection of the first aider:

Wear personal protection equipment (refer to section 8). No direct artificial respiration to be given by first aider.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 4/14

VELO Icy Berries Smooth [••] Mini

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

If exposed to large quantities of the product, acute nicotine poisoning might occur causing symptoms such as nausea, excess salivation, abdominal pain, diarrhoea, sweating, headache, dizziness, disturbed hearing and weakness. In extreme cases, these symptoms may be followed by depression of the central nervous system, including confusion, hypotension, rapid or weak or irregular pulse, breathing difficulties, prostration, circulatory collapse and terminal convulsions.

4.3. Indication of any immediate medical attention and special treatment needed

ONLY FOR MEDICAL PERSONNEL: In case of severe nicotine poisoning, if airway is secured, administration of activated charcoal should be considered. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine. Monitor breathing patterns and maintain circulation. Cholinergic symptoms may be treated with atropine.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry extinguishing powder, alcohol resistant foam, Water spray jet

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Do not enter storage, handling and production areas if unauthorized.

Emergency procedures:

Do not walk on the spillage and avoid any kind of contact. Ventilate affected area if safe to do so.

Evacuate the danger area immediately and follow the emergency procedures of your workplace.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation: Wet clean or vacuum up solids.

For cleaning up:

Water (with cleaning agent)

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 5/14

VELO Icy Berries Smooth [••] Mini

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

It is recommended to design all work processes always so that the following is excluded: Strong acid, Highly oxidising substances. Wear personal protection equipment (refer to section 8). Do not breathe dust.

Fire prevent measures:

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. To avoid the risk of fire, do not allow this product to dry out.

Measures to prevent aerosol and dust generation:

Dust should be exhausted directly at the point of origin. Additional measures for respiratory protection: High efficiency particulate air filter (HEPA filter)

Advices on general occupational hygiene

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Hints on storage assembly:

Keep away from: Strong acid, Highly oxidising substances

Storage class (TRGS 510, Germany): 10 - 13 - Other combustible and non-combustible substances

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
CZ from 1 Jan 2024	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.07 ppm (0.5 mg/m ³) ② 0.37 ppm (2.5 mg/m ³) ⑤ (může pronikat pokožkou) D
IOELV (EU)	nicotine CAS No.: 54-11-5 EC No.: 200-193-3	① 0.5 mg/m ³ ⑤ (May be absorbed through the skin.)
CZ from 1 Mar 2020	ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	① 191.1 ppm (700 mg/m ³) ② 245.7 ppm (900 mg/m ³) ⑤ I
IOELV (EU) from 21 Feb 2017	ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	① 200 ppm (734 mg/m ³) ② 400 ppm (1,468 mg/m ³)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 6/14

VELO Icy Berries Smooth [••] Mini

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
CZ from 1 Jan 2024	acetic acid CAS No.: 64-19-7 EC No.: 200-580-7	① 10 ppm (25 mg/m ³) ② 20 ppm (50 mg/m ³) ⑤ I
IOELV (EU) from 21 Feb 2017	acetic acid CAS No.: 64-19-7 EC No.: 200-580-7	① 10 ppm (25 mg/m ³) ② 20 ppm (50 mg/m ³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0313 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	8.6 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0443 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.84 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.2 mg/cm ²	① DNEL worker ② Acute - dermal, local effects
ethyl butyrate CAS No.: 105-54-4 EC No.: 203-306-4	49.3 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
ethyl butyrate CAS No.: 105-54-4 EC No.: 203-306-4	2.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	734 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	1,468 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	734 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	1,468 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4	63 mg/kg bw/ day	① DNEL worker ② Acute - dermal, systemic effects
2-ethyl-3-hydroxy-4-pyrone CAS No.: 4940-11-8 EC No.: 225-582-5	58.7 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 7/14

VELO Icy Berries Smooth [••] Mini

Substance name	DNEL value	① DNEL type ② Exposure route
2-ethyl-3-hydroxy-4-pyrone CAS No.: 4940-11-8 EC No.: 225-582-5	16.7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	35.3 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	5 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	49 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	98 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	7 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
acetic acid CAS No.: 64-19-7 EC No.: 200-580-7	25 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
acetic acid CAS No.: 64-19-7 EC No.: 200-580-7	25 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
cis-hex-3-en-1-ol CAS No.: 928-96-1 EC No.: 213-192-8	11.75 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
cis-hex-3-en-1-ol CAS No.: 928-96-1 EC No.: 213-192-8	3.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.0004 mg/L	① PNEC aquatic, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00004 mg/L	① PNEC aquatic, marine water
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	2.7 mg/L	① PNEC sewage treatment plant
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.00065 mg/ kg	① PNEC sediment, freshwater
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000065 mg/ kg	① PNEC sediment, marine water
nicotine CAS No.: 54-11-5 EC No.: 200-193-3	0.000321 mg/ kg	① PNEC soil, freshwater
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	5.4 µg/L	① PNEC aquatic, freshwater
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	0.54 µg/L	① PNEC aquatic, marine water
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	1.8 mg/L	① PNEC sewage treatment plant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 8/14

VELO Icy Berries Smooth [••] Mini

Substance name	PNEC Value	① PNEC type
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	1.3 mg/kg	① PNEC sediment, freshwater
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	0.13 mg/kg	① PNEC sediment, marine water
Peppermint oil CAS No.: 8006-90-4 EC No.: 282-015-4	0.29 mg/kg	① PNEC soil, freshwater
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	0 mg/L	① PNEC aquatic, freshwater
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	0 mg/L	① PNEC aquatic, marine water
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	10 mg/L	① PNEC sewage treatment plant
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	0.029 mg/kg	① PNEC sediment, freshwater
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	0.003 mg/kg	① PNEC sediment, marine water
ethyl enantate CAS No.: 106-30-9 EC No.: 203-382-9	0.006 mg/kg	① PNEC soil, freshwater
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	0.118 mg/L	① PNEC aquatic, freshwater
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	0.012 mg/L	① PNEC aquatic, marine water
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	10 mg/L	① PNEC sewage treatment plant
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	15 mg/kg	① PNEC sediment, freshwater
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	1.5 mg/kg	① PNEC sediment, marine water
3-ethoxy-4-hydroxybenzaldehyde CAS No.: 121-32-4 EC No.: 204-464-7	2.923 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

The exposure frequency, duration and number of exposed persons shall be minimised.

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber). In the case of wanting to use the gloves again, clean them before taking

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 9/14

VELO Icy Berries Smooth [••] Mini

off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Half-face mask (EN 149 / EN 140-EN 143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Form: Powder

Colour: white

Odour: fruity

flammability: No data available

Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	8.8	② in aqueous solution: 5%
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	No data available	
Vapour pressure	No data available	
Density	No data available	
Bulk density	No data available	
Water solubility	No data available	

particle characteristics:

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight. Do not dry up the product.

10.5. Incompatible materials

Strong acid, Highly oxidising substances.

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 10/14

VELO Icy Berries Smooth [••] Mini

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

nicotine CAS No.: 54-11-5 EC No.: 200-193-3

ATE (oral)¹: 5 mg/kg

ATE (dermal)¹: 70 mg/kg

ATE (inhalation, dust/mist)¹: 0.19 mg/L

LD₅₀ oral: =5 mg/kg (Rat)

LD₅₀ dermal: =70 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): =0.19 mg/L (Rat)

ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4

LD₅₀ oral: =5,620 mg/kg (Rat)

LD₅₀ dermal: >18,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (vapour): >22.5 mg/L (Rat)

acetic acid CAS No.: 64-19-7 EC No.: 200-580-7

LD₅₀ oral: 3,310 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (vapour): >8.5 mg/L 4 h (Rat)

¹: Acute Toxicity Estimate. Harmonised (legal) classification.

Acute oral toxicity:

Harmful if swallowed.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Spearmint oil. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 11/14

VELO Icy Berries Smooth [••] Mini

SECTION 12: Ecological information

12.1. Toxicity

nicotine CAS No.: 54-11-5 EC No.: 200-193-3
LC₅₀ : ≥3 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout)) OECD 203
EC₅₀ : =0.24 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea))
EC₅₀ : =11 mg/L 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>) OECD 201
NOEC : =3.2 mg/L 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>) OECD 201
LC₅₀ : 4 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout))
EC₅₀ : 11 mg/L 3 d (Algae/water plant)
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4
LC₅₀ : =212 mg/L 4 d
LC₅₀ : =154 mg/L 2 d
EC₅₀ : =2,500 mg/L 4 d
NOEC : =6.9 mg/L
NOEC : =2.4 mg/L 21 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 211
NOEC : >100 mg/L 3 d (Algae/water plant, <i>Desmodesmus subspicatus</i>) OECD 201
acetic acid CAS No.: 64-19-7 EC No.: 200-580-7
LC₅₀ : >300.82 mg/L 4 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout)) OECD 203
LC₅₀ : >300.82 mg/L 2 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 202
EC₅₀ : >300.82 mg/L 3 d (Algae/water plant, <i>Skeletonema costatum</i>)
NOEC : 22.7 mg/L 21 d (fish, <i>Oncorhynchus mykiss</i> (Rainbow trout)) OECD 204
NOEC : 22.7 mg/L 21 d (crustaceans, <i>Daphnia magna</i> (Big water flea)) OECD 202)
NOEC : 300.82 mg/L 3 d (Algae/water plant, <i>Skeletonema costatum</i>)

12.2. Persistence and degradability

nicotine CAS No.: 54-11-5 EC No.: 200-193-3
Biodegradation : Yes, rapidly
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4
Biodegradation : Yes, rapidly
acetic acid CAS No.: 64-19-7 EC No.: 200-580-7
Biodegradation : Yes, rapidly

12.3. Bioaccumulative potential

nicotine CAS No.: 54-11-5 EC No.: 200-193-3
Log K_{OW} : 1.17
ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4
Log K_{OW} : 0.73
Bioconcentration factor (BCF) : 30
acetic acid CAS No.: 64-19-7 EC No.: 200-580-7
Log K_{OW} : -0.17
Bioconcentration factor (BCF) : 3.16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

nicotine CAS No.: 54-11-5 EC No.: 200-193-3
Results of PBT and vPvB assessment : This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Spearmint oil CAS No.: 8008-79-5 EC No.: 616-927-4
Results of PBT and vPvB assessment : —

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 12/14

VELO Icy Berries Smooth [••] Mini

ethyl acetate CAS No.: 141-78-6 EC No.: 205-500-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

acetic acid CAS No.: 64-19-7 EC No.: 200-580-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not allow uncontrolled discharge of product into the environment.

Waste treatment options

Appropriate disposal / Product:

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate authorities about waste disposal.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance)

EUROPEAN PARLIAMENT AND COUNCIL DIRECTIVE 94/62/EC of 20 December 1994 on packaging and packaging waste

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 13/14

VELO Icy Berries Smooth [••] Mini

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

Chemical safety assessments are not required for mixtures.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
ECHA	European Chemicals Agency
EN	European Standard
ES	Exposure scenario
HEPA	High Efficiency Particulate Air
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
ZNS	central nervous system

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

European Chemicals Agency, <http://echa.europa.eu/>

Umweltbundesamt, <http://webrigoletto.uba.de/rigoletto>

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	Calculation method.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Mar 2025

Print date: 28 Oct 2025

Version: 17

Page 14/14

VELO Icy Berries Smooth [••] Mini

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

Make sure that employees are aware of the intoxication risk. People wearing breathing apparatus must be appropriately trained.

16.7. Additional information

No data available